

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S141	14	S135 and configur\$7 and default near user	USPAT	OR	OFF	2005/06/27 14:23
S140	293	S135 and configur\$7 and default and user	USPAT	OR	OFF	2005/06/27 14:12
S139	7	S135 and configur\$7 and default and (clon\$3)	USPAT	OR	OFF	2005/06/27 14:12
S138	152	S135 and configur\$7 and default and (clon\$3 or copy\$3)	USPAT	OR	OFF	2005/06/27 14:11
S137	333	S135 and configur\$7 and default	USPAT	OR	OFF	2005/06/27 14:10
S136	966	S135 and configur\$7	USPAT	OR	OFF	2005/06/27 14:10
S135	1171	(713/1).CCLS.	USPAT; USOCR	OR	OFF	2005/06/27 14:10
S134	7	(clon\$3 or copy\$3) near (default adj (value or setting))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 14:10
S133	136	(clon\$3 or copy\$3) near default	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 14:06
S131	50	S130 and default	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 14:05
S132	3	S130 and (default near (value or setting))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:47
S130	57	(host or sever) adj configur\$7 and (clon\$3 or (disk adj (imag\$3 or copy\$3)))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:46
S129	3	(host or sever) adj configur\$7 same (clon\$3 or (disk adj (imag\$3 or copy\$3)))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:46
S128	34	(host or sever) adj configur\$7 same (portable or removable)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:39
S127	1	(host or sever) adj configur\$7 near (portable or removable)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:38
S126	1726	(host or sever) adj configur\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:35

S12 5	24	(configur\$7 near (cop\$3 or don\$3)) same (portable or removable or CD-ROM or CDROM or floppy)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:34
S12 4	1738	(configur\$7 near (cop\$3 or don\$3))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:23
S12 3	32	(host near application) same (configur\$7 and (cop\$3 or don\$3))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:23
S12 2	68	(host near application) same (configur\$7 and (cop\$3 or don\$3 or imag\$3))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:18
S12 1	0	(host near application) same (configur\$7 near (cop\$3 or don\$3 or imag\$3))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:18
S11 9	395	(host near application) same configur\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:17
S11 8	20	host near application near configur\$7	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:17
S11 7	2267	host near configuration	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:15
S11 4	29	S110 and configuration	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:15
S11 6	25	S115 not S114	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:00
S11 5	38	S110 and install\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 12:00
S11 1	2	S110 and don\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:58
S11 0	199	Symantec.as.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:57

S10 9	7	norton adj ghost\$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:57
S10 0	11386	stor\$3 near configuration	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:54
S10 8	15	("4959772" "5506949" "5874988").PN. OR ("6161176"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/27 11:38
S10 7	5	("5771381" "5832339" "5850545" "5977964" "6067568").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/27 11:34
S10 6	6	("5758071" "6066182" "6110229" "6161176" "6182212" "6292889").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/27 11:33
S10 5	32	S102 and default and install\$5	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:30
S10 3	61	S102 and default	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:30
S10 2	272	S101 same (copy\$3 or don\$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:28
S10 1	18752	stor\$3 near (configuration or setting)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/27 11:28
S99	2	("5835913").URPN.	USPAT	OR	OFF	2005/06/27 11:28
S98	31	("5745669").URPN.	USPAT	OR	OFF	2005/06/27 10:14
S97	83	("5469573").URPN.	USPAT	OR	OFF	2005/06/27 09:58
S96	5	("5469573" "5996086" "6101601" "6353885").PN. OR ("6654797").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/27 09:56
S56	509	(709/221).CCLS.	USPAT; USOCR	OR	OFF	2004/07/21 18:08
S4	1506	(709/223).CCLS.	USPAT; USOCR	OR	OFF	2004/07/21 18:06
S29	9	("5469573" "5652868" "5659614" "5771354" "5852713" "5935212" "6292790" "6317845" "6367029").PN.	USPAT	OR	ON	2004/07/21 18:03
S55	27	"0065513"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 17:31
S24	602	computer adj (ghost\$5 or imag\$5 or duplicat\$3) and (floppy adj disk)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 17:30
S54	1	("5469573").PN.	USPAT; USOCR	OR	OFF	2004/07/21 17:18

S23	3	"9943174"	USPAT; EPO; DERWENT	OR	ON	2004/07/21 17:18
S53	1	("6345294").PN.	USPAT; USOCR	OR	OFF	2004/07/21 14:38
S52	9	remot\$3 adj configur\$5 and (first adj device)	USPAT	OR	ON	2004/07/21 13:19
S51	499	remot\$3 adj configur\$5	USPAT	OR	ON	2004/07/21 13:18
S50	16	network adj (preconfigur\$3 or pre-configur\$5)	USPAT	OR	ON	2004/07/21 13:10
S49	35	(preconfigur\$3 or pre-configur\$5) and (network adj configuration) and install\$5 and (host adj address)	USPAT	OR	ON	2004/07/21 13:07
S48	129	(preconfigur\$3 or pre-configur\$5) and (network adj configuration) and install\$5	USPAT	OR	ON	2004/07/21 13:05
S47	208	(preconfigur\$3 or pre-configur\$5) and (network adj configuration)	USPAT	OR	ON	2004/07/21 13:05
S46	38	(remote adj configur\$5) and (host near2 application) and (client adj application)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 13:00
S45	12	(remote adj configur\$5) and (host near2 application) and (host near2 address)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:59
S44	53	(remote adj configur\$5) and (host near2 application)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:58
S38	139	(remote adj configur\$5) and host and application	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:57
S43	53	((remote adj configur\$5) and (host same application) and address and device and (network near2 configur\$5)) not ((remote adj configur\$5) and (host same application) and address and device and (network near2 configur\$5) and (stor\$5 adj device))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:53
S42	15	(remote adj configur\$5) and (host same application) and address and device and (network near2 configur\$5) and (stor\$5 adj device)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:52
S41	68	(remote adj configur\$5) and (host same application) and address and device and (network near2 configur\$5)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:49
S40	88	(remote adj configur\$5) and (host same application) and address and device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:43
S39	120	(remote adj configur\$5) and host and application and address and device	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:43
S37	401	remote adj configur\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:42
S36	391	remote adj configurat\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 12:21
S35	0	"6681323".URPN.	USPAT	OR	ON	2004/07/21 11:55
S34	5	"6016400".URPN.	USPAT	OR	ON	2004/07/21 11:54

S33	78	"5469573".URPN.	USPAT	OR	ON	2004/07/21 11:01
S32	4	("5469573" "5996086" "6101601" "6353885").PN.	USPAT	OR	ON	2004/07/21 10:23
S31	11	norton.as. and image and configur\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:19
S30	171	norton.as. and image	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:19
S28	61	ghost\$3 near2 image same computer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:18
S27	5	computer adj ghost\$5	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:08
S26	1	(computer adj ghost\$5) and (floppy adj disk)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:08
S25	587	computer adj (ghost\$5 or imag\$5) and (floppy adj disk)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/21 10:06
S22	3	((("5,864,764") or ("6,199,045") or ("6,286,038"))).PN.	USPAT; USOCR	OR	OFF	2004/07/21 10:02
S7	816	((709/223).CCLS.) and configur\$3 and network\$3 and device	USPAT	OR	ON	2004/07/21 09:30
S21	75	((709/222).CCLS.) and configur\$5 and (floppy adj disk) and device	USPAT	OR	ON	2004/07/20 18:17
S20	87	((709/222).CCLS.) and configur\$5 and floppy and device	USPAT	OR	ON	2004/07/20 18:17
S19	88	((709/222).CCLS.) and configur\$5 and floppy	USPAT	OR	ON	2004/07/20 18:17
S16	346	(709/222).CCLS.	USPAT; USOCR	OR	OFF	2004/07/20 18:16
S18	0	"6654797".URPN.	USPAT	OR	ON	2004/07/20 18:04
S17	4	("5469573" "5996086" "6101601" "6353885").PN.	USPAT	OR	ON	2004/07/20 18:02
S15	2	((709/220).CCLS.) and (configur\$5 near2 host near2 application)	USPAT	OR	ON	2004/07/20 17:46
S14	6	("6249863" "6424424" "6434403" "6487608" "6567860" "6606669").PN.	USPAT	OR	ON	2004/07/20 17:34
S13	4	"6487608".URPN.	USPAT	OR	ON	2004/07/20 17:33
S12	3	"6105100".URPN.	USPAT	OR	ON	2004/07/20 17:32
S11	106	"6012088".URPN.	USPAT	OR	ON	2004/07/20 17:24
S10	13	("5150464" "5321840" "5446897" "5572528" "5673322" "5694546" "5708780" "5724510" "5734831" "5745699" "5784555" "5826000" "5852722").PN.	USPAT	OR	ON	2004/07/20 17:13
S9	425	((709/220).CCLS.) and (configur\$5 same device)	USPAT	OR	ON	2004/07/20 17:09
S8	761	(709/220).CCLS.	USPAT; USOCR	OR	OFF	2004/07/20 17:08
S6	909	((709/223).CCLS.) and configur\$3 and network\$3	USPAT	OR	ON	2004/07/20 16:41
S5	920	((709/223).CCLS.) and configur\$3	USPAT	OR	ON	2004/07/20 16:41
S3	2	Singhal.inv. and (network adj install)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 16:40

S2	533	Singhal.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/20 15:59
S1	1	"20020138600"	US-PGPUB	OR	ON	2004/07/20 15:59